


Griglia in ghisa sferoidale EP100 C250 fessura 18 mm



Codice prodotto:
GRGS100EPC-B



Dimensioni e specifiche tecniche

Lunghezza / Larghezza esterna (mm)	498 / 145
Altezza bordo/ Altezza totale (mm)	25 / 25
Larghezza interna (mm)	100
Materiale	Ghisa sferoidale EN GJS 500/7
Peso (Kg)	3,75
Dimensione fessure (mm)	93,5x18
Area di drenaggio (cm ²)	194
Sistema di fissaggio	N. 1 barretta per griglia
Finitura superficiale	Vernice nera
Classe di carico (EN 1433)	C250

N.B. Dimensioni e pesi sono soggetti alle normali tolleranze di fabbricazione

Canali Technodrain abbinabili

Codice / modelli

CA100ES - Evo 100S (100/75)

CA100EMZS - Evomax 100S (100/75)


CA100EH - Evo 100H (100/150)

CA100EMZH - Evomax 100H (100/150)





Ductile iron grating EP100 C250 18 mm slot



The product must be installed according to the instructions provided by Asoplast Spa, available on our website and on the Asoplast Technodrain YouTube channel.

Dimensions and technical specifications

Lenght / Overall width (mm)	498 / 145
Height / Overall height (mm)	25 / 25
Internal width (mm)	100
Material	Ductile iron EN GJS 500/7
Weight (Kg)	3,75
Slots size (mm)	93,5x18
Drainage area (cm ²)	194
Fixing system	No.1 bar per grating
Surface coating	Black paint
Loading class (EN 1433)	C250

N.B. Dimensions and weights are subjected to normal manufacturing tolerances.


Compatible Technodrain channels

Code / model	
CA100ES - Evo 100S (200/75)	CA100EMZS - Evomax 100S (200/75)
CA100EH - Evo 100H (200/150)	CA100EMZH - Evomax 100H (200/150)





Grille fonte EP100 C250 fente 18 mm - PMR



Dimensions et données techniques

Longueur / Largeur externe (mm)	498 / 145
Hauteur bord / Hauteur totale (mm)	25 / 25
Largeur interne (mm)	100
Matériel	Fonte ductile EN GJS 500/7
Poids (Kg)	3,75
Dimensions fente (mm)	93,5x18
Section de drainage (cm ²)	194
Système de fixation	N. 1 barrette par grille
Revêtement de surface	Peinture noire
Classe de charge (EN 1433)	C250

N.B. Les dimensions et poids sont soumises aux tolérances normales de fabrication.

Caniveaux Technodrain compatibles

Code / modèle

CA100ES - Evo 100S (100/75)

CA100EMZS - Evomax 100S (100/75)

CA100EH - Evo 100H (100/150)

CA100EMZH - Evomax 100H (100/150)

