


Griglia a pioli in acciaio zincato EVO 100 A15 fessura 8 mm



Dimensioni e specifiche tecniche

Lunghezza / Larghezza esterna (mm)	998 / 145
Altezza bordo/ Altezza totale (mm)	25 / 25
Larghezza interna (mm)	100
Materiale	Acciaio zincato
Peso (Kg)	1,60
Dimensione fessure (mm)	105x8
Area di drenaggio (cm ²)	314
Sistema di fissaggio	N. 2 barrette per griglia
Finitura superficiale	Zincatura a caldo
Classe di carico (EN 1433)	A15

N.B. Dimensioni e pesi sono soggetti alle normali tolleranze di fabbricazione

Canali Technodrain abbinabili

Codice / modelli

CA100ES - Evo 100S (100/75)


CA100EMZS - Evomax 100S (100/75)

CA100EH - Evo 100H (100/150)

CA100EMZH - Evomax 100H (100/150)



Galvanized slotted grating EVO 100 A15 8 mm slot



Dimensions and technical specifications

Lenght / Overall width (mm)	998 / 145
Height / Overall height (mm)	25 / 25
Internal width (mm)	100
Material	Galvanized steel
Weight (Kg)	1,60
Slots size (mm)	105x8
Drainage area (cm ²)	314
Fixing system	N. 2 tie bars per grating
Surface coating	Galvanized
Loading class (EN 1433)	A15

N.B. Dimensions and weights are subjected to normal manufacturing tolerances.

Compatible Technodrain channels

Code / models

CA100ES - Evo 100S (100/75)

CA100EMZS - Evomax 100S (100/75)

CA100EH - Evo 100H (100/150)


CA100EMZH - Evomax 100H (100/150)



Grille passerelle en acier galva EVO 100 A15 fente 8 mm



Code produit:
GRP100EZF



Dimensions and technical specifications

Longueur / Largeur externe (mm)	998 / 145
Hauteur bord / Hauteur totale (mm)	25 / 25
Largeur interne (mm)	100
Matériel	Acier galvanisé
Poids (Kg)	1,60
Dimension fente (mm)	105x8
Section de drainage (cm ²)	314
Système de fixation	N. 2 barrettes par grille
Revêtement de surface	Galvanisation à chaud
Classe de charge (EN 1433)	A15

N.B. Dimensions and weights are subjected to normal manufacturing tolerances.

Compatible Technodrain channels

Code / models

CA100ES - Evo 100S (100/75)

CA100EMZS - Evomax 100S (100/75)

CA100EH - Evo 100H (100/150)

CA100EMZH - Evomax 100H (100/150)

