


Griglia in poliammide PA100 B125 fessura 18 mm



CE 
Codice prodotto:
GRPA100EB



Dimensioni e specifiche tecniche

Lunghezza / Larghezza esterna (mm)	498 / 145
Altezza bordo/ Altezza totale (mm)	25 / 25
Larghezza interna (mm)	100
Materiale	Poliammide
Peso (Kg)	1
Dimensione fessure (mm)	93x18
Area di drenaggio (cm ²)	194
Sistema di fissaggio	N. 1 barretta per griglia
Colore	Nero
Classe di carico (EN 1433)	B125

N.B. Dimensioni e pesi sono soggetti alle normali tolleranze di fabbricazione

Canali Technodrain abbinabili

Codice / modello

CA100ES - Evo 100S (100/75)

CA100EMZS - Evomax 100S (100/75)


CA200EH - Evo 100H (100/150)

CA100EMZH - Evomax 100H (100/150)





Polyamide grating PA100 B125 18 mm slot



The product must be installed according to the instructions provided by Asoplast Spa, available on our website and on the Asoplast Technodrain YouTube channel.

Dimensions and technical specifications

Lenght / Overall width (mm)	498 / 145
Height / Overall height (mm)	25 / 25
Internal width (mm)	100
Material	Polyamide
Weight (Kg)	1
Slots size (mm)	93x18
Drainage area (cm ²)	194
Fixing system	No.1 bar per grating
Color	Black
Loading class (EN 1433)	B125

N.B. Dimensions and weights are subjected to normal manufacturing tolerances.


Compatible Technodrain channels

Code / model	
CA100ES - Evo 100S (100/75)	CA100EMZS - Evomax 100S (100/75)
CA200EH - Evo 100H (100/150)	CA100EMZH - Evomax 100H (100/150)





Grille polyamide PA100 B125 fente 18 mm - PMR



Dimensions et données techniques

Longueur / Largeur externe (mm)	498 / 145
Hauteur bord / Hauteur totale (mm)	25 / 25
Largeur interne (mm)	100
Matériel	Polyamide
Poids (Kg)	1
Dimensions fente (mm)	93x18
Section de drainage (cm ²)	194
Système de fixation	N. 1 barrette par grille
Couleur	Noir
Classe de charge (EN 1433)	B125

N.B. Les dimensions et poids sont soumises aux tolérances normales de fabrication.

Caniveaux Technodrain compatibles

Code / modèle

CA100ES - Evo 100S (100/75)

CA100EMZS - Evomax 100S (100/75)

CA200EH - Evo 100H (100/150)

CA100EMZH - Evomax 100H (100/150)

